

# CS 161 Exam I Winter 2019 Form 1

Please put your name, ID, and form number on the scantron

**True (A) / False (B) (28 pts, 2 pts each)**

1. In programming, the terms "line" and "statement" always mean the same thing.
2. Machine language is an example of a high-level language.
3. `(x>=15 || y < 3)` is equivalent to `(!(x<15 && y>=3))`.
4. There are 8 bytes in one bit.
5. `cin` reads a line of input, including leading and embedded spaces, and stores it in a string object.
6. The `default` section is required in a `switch` statement.
7. In C++, the expression `if (x < y < z)` will determine whether `x` is less than `y` and less than `z`.
8. When an `if` statement is placed within the conditionally-executed code of another `if` statement, this is known as nesting.
9. What is the value of the expression: `!false || (true && false)`
10. You may nest `while` and `do-while` loops but you may not nest `for` loops.
11. The `while` loop is considered a pre-test loop and the `do-while` loop is considered a post-test loop.
12. A function can have no parameters, one parameter, or many parameters and can return only one value.
13. It is possible for a void function to have parameters.
14. A function prototype is a declaration, but not a definition.

**Multiple Choice (72 pts, 3 pts each)**

15. This `if` statement should assign the heavier weight to heaviest and the lighter weight to lightest. What is wrong with this code?  

```
if (weight1 > weight2)
    heaviest = weight1;
    lightest = weight2;
```

  - A. Nothing. It works fine.
  - B. `heaviest` is `weight1` regardless of the `if` statement.
  - C. The statement is written incorrectly – crash.
  - D. `lightest` is `weight2` regardless of the `if` statement.
16. \_\_\_\_\_ are used to translate each source code instruction into the appropriate machine language instruction.
  - A. Modules
  - B. Runtime libraries
  - C. Compilers
  - D. Preprocessor directives
17. A set of well-defined steps for performing a task or solving a problem is known as a(n):
  - A. Hierarchy chart
  - B. Algorithm
  - C. Instruction set
  - D. Statement

18. Three primary activities of a program are:
- Variable definitions, operators, lists of key words
  - Lines, statements, punctuation
  - Input, processing, output
  - Integer, floating-point, character definitions
19. A variable's \_\_\_\_\_ is the part of the program that has access to the variable.
- Scope
  - Value
  - Data type
  - Assignment
20. What is the output of the following statement?
- ```
cout << (float) (5 * (9 % 4) / 2) + 2.5 << endl;
```
- 5
  - 15
  - 2.5
  - 4.5
21. What will be the output after the following lines of code execute?
- ```
bool choice;
choice = true;
cout << "Your choice is " << choice << endl;
```
- true
  - Your choice is true
  - Your choice is 1
  - Your choice is choice
22. A character literal is \_\_\_\_\_, whereas a string literal is \_\_\_\_\_.
- enclosed in quotation marks, enclosed in brackets
  - enclosed in brackets, enclosed in quotation marks
  - enclosed in double quotation marks, enclosed in single quotation marks
  - enclosed in single quotation marks, enclosed in double quotation marks
23. Which of the following is *not* a valid C++ identifier?
- April2019
  - employee\_num
  - \_2user
  - 2user
24. Given that  $x = 2$ ,  $y = 1$ ,  $z = 0$ , what will the following `cout` statement display?
- ```
cout << "answer = " << (x && y && !z) << endl;
```
- answer = 0
  - answer = 1
  - answer = 2
  - answer = (x && y && !z)
25. When a variable is assigned a number that is too large for its data type, it
- underflows
  - overflows
  - reverses
  - converts

26. After the following code executes, what is the value of **my\_value** if the user enters 3?

```
cin >> my_value;
if (my_value > 2)
    my_value = my_value + 5;
else if (my_value > 5)
    my_value = my_value + 10;
else
    my_value = my_value + 20;
```

- A. 23
- B. 18
- C. 8
- D. 3

27. What is the output of the following segment of code if the value 4 is input by the user?

```
int num;
int total = 0;
cout << "Enter a number from 1 to 10: ";
cin >> num;
switch (num) {
    case 1:
    case 2: total = 5;
    case 3: total = 10;
    case 4: total = total + 3;
    case 8: total = total + 6;
    default: total = total + 4;
}
cout << total << endl;
```

- A. 3
- B. 9
- C. 13
- D. 23

28. What is the output of the following code segment?

```
int x = 5;
if (x = 2)
    cout << "This is true!" << endl;
else
    cout << "This is false!" << endl;
    cout << "That's all, folks!" << endl;
```

- A. This is true!
- B. This is false!
- C. This is false!  
That's all, folks!
- D. This is true!  
That's all, folks!

29. A statement that causes a loop to terminate early is

- A. **break**
- B. **terminate**
- C. **re-iterate**
- D. **continue**
- E. None of above

30. What is the output of the following code segment?

```
n = 1;
while (n <= 5)
    cout << n << '  ';
    n++;
```

- A. 1 2 3 4 5
- B. 1 1 ... and on forever
- C. 1 2 3 4 5 6
- D. 1 2 3 4

31. How many times will the following loop display "Looping!"?

```
for (int i = 5; i > 0; i--)
    for (int j = 0; j <= i; j++)
        cout << "Looping!" << endl;
```

- A. 15
- B. 20
- C. 21
- D. an infinite number of times

32. A collection of statements that performs a specific task is a(n)

- A. loop
- B. variable
- C. constant
- D. function

33. A function is executed when it is

- A. defined
- B. prototyped
- C. declared
- D. called

34. What is the output of the following code segment?

```
string str = "Hello World";
cout << str.at(5) << endl;
```

- A. a space character
- B. o
- C. W
- D. Hello

35. If you need to write a function that will compute the cost of some candy, where each piece costs 25 cents, which would be an appropriate function declaration?

- A. `float calculateCost(char name);`
- B. `char calculateCost(int count);`
- C. `float calculateCost int count;`
- D. `float calculateCost(int count);`

36. Which of the following will randomly generate number from 90 – 100 (inclusive)?

- A. `int num = rand() % 101 - 10;`
- B. `int num = rand() % 100 - 10;`
- C. `int num = rand() % 11 + 90;`
- D. `int num = rand() % 10 + 90;`

37. Which of the following is a legal call to the `displayOutput` function?

- ```
void displayOutput(int total);
```
- A. `void displayOutput(myTotal);`
  - B. `displayOutput(int mytotal);`
  - C. `displayOutput(myTotal);`
  - D. `cout << displayOutput(myTotal);`

38. In this while loop statement, `while(counter < 10)` the variable `counter` is an int. Which statement below is an equivalent way to write this while statement?

- A. `while(10 > counter)`
- B. `while( counter <= 9)`
- C. `while(9 > counter)`
- D. A and B are correct

**Extra Credit: (2 pts)**

39. The difference between unary and binary operators is that binary operators

- A. return 2 values.
- B. require two statements to execute.
- C. require two operands.
- D. can only be used with numeric variables.

40. What is wrong with this code?

```
int ShowMeTheMoney() {
    int cents, dollars;
    cout << "Enter dollars and cents";
    cin >> dollars , cents;
    return (dollars,cents);
}
```

- A. You can't have a comma in the `cin` statement.
- B. You can't have a comma in the `return` statement.
- C. Both A & B.
- D. There is nothing wrong with it.

41. Which of the following is evaluated first, given the expression:

- ```
A && B || C && !D
```
- A. `A && B`
  - B. `B || C`
  - C. `C && !D`
  - D. `!D`

42. True(A)/False(B) The `getline` function works like `cin` and stops reading characters when any whitespace is encountered.

43. True(A)/False(B) The compiler will give you a warning if you return a value in a void function.